


# Suspension Schematic: Peterbilt Front 4" COE & Conventional, '82-Present (UPDATED)

Schematic Parts List





Home	Category ▾	Brand ▾	Make/Model ▾	New Arrivals ▾	Wizards ▾	Schematics ▾	Quick Links ▾	Help ▾
1	<a href="#">M1713A</a>			2	Shackle Hanger	Aluminum Version of M1713		
1	<a href="#">M1811</a>	0202311M001		2	Shackle Hanger	6-1/4" Bolt Hgt., Aluminum, Cast is M1819		
1	<a href="#">M1819</a>			2	Shackle Hanger	6-1/4" Bolt Hgt., Cast		
1	<a href="#">M1825</a>	B1110347 / B111033 Cast#		2	Shackle Hanger	w/MR599 High Confine Bushing		
1	<a href="#">M1825A</a>			2	Shackle Hanger	Aluminum Version of M1825		
1	Ref.	B1110343 / B111033 Cast#		2	Shackle Hanger	Uses Horton Bushing		
1	<a href="#">M1820</a>	B1110345 / B111033 Cast#		2	Shackle Hanger	w/MTB178, 6.0" Bolt Hgt.		
1	<a href="#">M1820A</a>			2	Shackle Hanger	Aluminum Version of M1820		
2	<a href="#">M1815</a>	B111039 / B111023 Cast#		2	Shackle Hanger	w/MTB186, 6.0" Bolt Hgt.		
2	<a href="#">M1818</a>	B116011 / B111091001 / B111023 Cast#		2	Shackle Hanger	w/MR894		
2	<a href="#">M1822</a>	B111091001 / B111023 Cast#		2	Shackle Hanger	w/MR862		
3	<a href="#">M1813</a>	B1110341 / B111033 Cast#		2	Shackle Hanger	w/MR836, 6.0" Bolt Hgt.		
3	<a href="#">M1813A</a>			2	Shackle Hanger	Aluminum Version of M1813		
3	<a href="#">M1824</a>	B1110346 / B111033 Cast#		2	Shackle Hanger	w/MR902, 6.0" Bolt Hgt.		
3	<a href="#">M1824A</a>			2	Shackle Hanger	Aluminum Version of M1824		
4	<a href="#">M1710</a>	0201800M001		2	Shackle Hanger	'87 & Up Con., 4.0" Wd. Spg., 6-1/4" Bolt Hgt., 5/8" Bolt Holes, Cast		
4	<a href="#">M1817</a>	0201800M001		2	Shackle Hanger	'87 & Up Conventional, 4.0" Wd. Spg., 6-1/4" Bolt Hgt.,		
4		0201801M003				3/4" Bolt Holes, Cast		
5	<a href="#">M1312</a>	0145641L		1	Shackle Hanger	LH, COE, Before '89, M5274 Pin		
5	<a href="#">M1314</a>	0145641R		1	Shackle Hanger	RH, COE, Before '89, M5274 Pin		
6	<a href="#">MPB7589</a>	0147344M002L		2	Hanger	LH, Uses M5307 or M5308 & M1502		
6	<a href="#">MPB7590</a>	0147344M002R		2	Hanger	RH, Uses M5307 or M5308 & M1502		
7	<a href="#">MPB7563</a>			2	Hanger	LH/RH		
8	<a href="#">G1803</a>	1613B		6	Grease Fitting	1/8"-27 NPT		
9	<a href="#">M5308</a>	0201781 / 0201767		6	Spring Pin	'87-'97, 1-1/4" OD x 6-7/8" Lg. x 5-5/16" CtoC, For M1500 & M1502		
9	<a href="#">M5274</a>	0201561		6	Spring Pin	'82-'96, 1-1/4" OD x 6-1/8" Lg. x 5-1/16" CtoC, For M1216		
9	<a href="#">M5307</a>	0201191		A/R	Spring Pin	1-1/4" OD x 7-3/8" Lg. x 5-3/4" CtoC, Front or Front Cast Eye		
10	<a href="#">MPB60</a>	0201805		6	Bushing	w/Seals, Use in place of MPB46 & OGB-RNI		
10	<a href="#">OGB-RNI</a>			A/R	Bushing	1-1/4" ID x 1-1/2" OD x 3-1/2" Lg.		
10	<a href="#">OGB-RNK</a>			A/R	Bushing	1-1/4" ID x 1-1/2" OD x 4.0" Lg.		
11	Ref.	0201819M002		2	Eye Cast	18K-23K, 4.0" Wd.		
2	<a href="#">M5449</a>	B651008 / PB641008			Spring Pin	6.31" CtoC, Used w/M1815 Shackle Hanger, Use w/MTB186		



12	<a href="#">M5411</a>	B651012		Spring Pin	Used with 75-258 Etc
13	<a href="#">MTB186</a>	B131002		Threaded Bushing	2-1/8" OD, Used w/M1815 Shackle Hanger, Use w/M5449, M5448, M5447
13	<a href="#">MTB178</a>	B131000		Threaded Bushing	1-3/4" OD
14	<a href="#">MR836</a>	B651006		Bushing	6-3/16" CtoC, 1-3/4" OD, Use w/M1813
14	<a href="#">MR836UB</a>			Bushing	Poly
14	<a href="#">MR902</a>	B656005 / 52375		Bushing	5-7/16" CtoC, 1-3/4" OD, Use w/M1824
14	<a href="#">MR902UB</a>			Bushing	Poly
14	<a href="#">MR862</a>	B651007 / 52257		Bushing	6-5/16" CtoC, 2-1/16" OD
14	<a href="#">MR862UB</a>			Bushing	Poly
14	<a href="#">MR894</a>	B656005 / 52375		Bushing	5-7/16" CtoC, 2-1/16" OD
14	<a href="#">MR894UB</a>			Bushing	Poly
15	<a href="#">MR599</a>	B656010	6	Bushing	5/8" ID x 1-3/4" OD x 4-1/4" Lg., High Confine., Med. Duty '09 & Up
16	<a href="#">M5223</a>		A/R	Bolt	Use w/MR599 Bushing, 16mm-2 x 120mm Lg.
17	<a href="#">M1500</a>	0201784 / 0201783	4	Side Bar	'87 & Up, 1-1/8" Tk. x 6.0" Lg. x 3-1/2" CtoC, 1-1/4" Pin,
17	<a href="#">M1502</a>	0201747 / 0201807	4	Side Bar	'87 & Up, 1-1/8" Tk. x 7-1/2" Lg. x 5-1/8" CtoC, 1-1/4" Pin
17	<a href="#">M1216</a>	0201154	4	Side Bar	COE, 1.0" Tk. x 5-7/8" Lg. x 3-1/2" CtoC, 1-1/4" Pin, Use w M5274
17	<a href="#">M883</a>		4	Side Bar	1-1/8" Tk. x 5-11/16" Lg. x 3-3/8" CtoC
17	<a href="#">M1503</a>	0201747 / 0201807	4	Side Bar	1-1/8" Tk. x 8-11/16" Lg. x 6-3/8" CtoC
18	<a href="#">F120300GR5</a>		A/R	Bolt	1/2-20 x 3.0" Lg.
19	<a href="#">MPB452</a>		2	Shackle Kit	'87-'92, 3-9/16" CtoC, w/2-M1500, 2-M5308, 2-OGB-RNK & Hrdw.
19	<a href="#">MPB452A</a>		2	Shackle Kit	'87-'92, 3-9/16" CtoC, w/2-M1500A, 2-M5308, 2-OGB-RNK & Hrdw.
19	<a href="#">MPB454</a>		2	Shackle Kit	'87-'92, 5-1/8" CtoC, w/2-M1502, 2-M5308, 2-OGB-RNK & Hrdw.
19	<a href="#">MPB448</a>		2	Shackle Kit	w/2-M1216, 2-M5274, Bushings, Seals & Lock Bolt Kit
20	<a href="#">M1851</a>	B206017	A/R	Side Bar	Use w/MR599 Bushing
21	<a href="#">M876</a>	B201007 / B206006		Side Bar	Use w/MR836, 4.0" CtoC, 1-1/16" Holes
21	<a href="#">M876A</a>			Side Bar	Aluminum
22	<a href="#">M4932</a>		4	Bolt	Model 387, 1/2-20 x 6-1/2" Lg., For M1721 & M5305
23	<a href="#">WA37</a>	D84009218	6	Spacer Washer	Model 387, Use w/M1721 & M5305
24	<a href="#">M1721</a>	0204018	4	Side Bar	Model 387, w/M5305
25	<a href="#">M5305</a>	0204024 / B656002	6	Spring Pin	1-1/4" OD x 7-5/8" Lg., Mod.387, For M1721
26	<a href="#">MPB445</a>		4	Bolt Kit	Model 387, 1/2-20 x 6-1/2" Lg.
27	<a href="#">MPB447</a>		2	Shackle Kit	Mod. 387, w/2-MPB60, 2-M5305, 2-M1721, 2-WA37, MPB445
28	<a href="#">AUBK8354-122</a>	0200807121	2	Ubolt Kit	3/4" x 4-1/4" SR x 12-1/4", Verify
28	<a href="#">AUBK8364-101</a>	0201374100	2	Ubolt Kit	7/8" x 4-1/8" SR x 10-1/8", Verify
28	<a href="#">AUBK8354-102</a>	0201375100	2	Ubolt Kit	3/4" x 4-1/4" SR x 10-1/4", Verify
28	<a href="#">AUBK8354-092</a>	0201375090	2	Ubolt Kit	3/4" x 4-1/4" SR x 9-1/4", Verify
28	<a href="#">AUBK8354-082</a>	0201375080	2	Ubolt Kit	3/4" x 4-1/4" SR x 8-1/4", Verify
29	<a href="#">MMB989</a>	0202904	2	Bumper	Verify, For M1757 Top Plate
.29	<a href="#">MMB989UB</a>		2	Bumper	Verify, For M1757UB Top Plate



31	<a href="#">MPB75005</a>		2	Top Plate	LH/RH, w/Shock Mount Stud & Rebound Metal Jounce
32	<a href="#">MPB75001</a>	B636001	2	Bolt	LH, w/ 1/2"-13 Shock Stud, Use w/MPB604 Shim
32	<a href="#">MPB75002</a>	B636001R	2	Bolt	RH, w/ 1/2"-13 Shock Stud, Use w/MPB604 Shim
32	<a href="#">MPB75003</a>	B636009	2	Bolt	LH, w/ 12mm-1.75 Shock Stud, Use w/MPB604 Shim
32	<a href="#">MPB75004</a>	B636009R	2	Bolt	RH, w/ 12mm-1.75 Shock Stud, Use w/MPB604 Shim
33	<a href="#">MPB604</a>		2	Shim	Use w/MPB75001 & MPB75002 Top U-Bolt Plates
34	<a href="#">MPB46</a>	2800118	4	Seal	1-3/16" ID x 1-3/4" OD x 1/4" Tk., Use w/OGB-RNI Hangers
35	Ref.	Various	A/R	Aluminum Wedge	4.0" Wd., Verify Degree
36	<a href="#">MPB75824</a>		2	Dowel Pin	w/o Spline
36	<a href="#">MPB75702</a>		2	Dowel Pin	w/Spline
37	<a href="#">M827</a>	0201823025	A/R	Spacer	Verify, Spider Look 1.0" Hgh., Flat Non-Wedged
37	<a href="#">M829</a>	0201823080	A/R	Spacer	Verify, Spider Look 3-1/2" Hgh., 5° Camber
37	<a href="#">M831</a>	0201701090	A/R	Spacer	Verify, Spider Look 1-9/16" Hgh., 4° Camber
37	<a href="#">M833</a>	0201701060	A/R	Spacer	Verify, Spider Look 2-3/4" Hgh., 5° Camber
37	<a href="#">M834</a>	0201701090	A/R	Spacer	Verify, Spider Look 30mm" Hgh.
38	<a href="#">M17416</a>	EX110013		Rebound Pad	12mm-1.25 Thrd., Spring End, Verify
39	<a href="#">MPB7586</a>	0202176	2	Shock Stud	Upper
39	<a href="#">MPB7585</a>		2	Shock Stud	Upper
40	<a href="#">MH2140</a>	401011	A/R	Shock Bushing	3/4" ID, For EB2 Ends
40	<a href="#">MH2140UB</a>		A/R	Shock Bushing	Poly
41	<a href="#">A85062</a>	665928 / 680281 / 0202737 / 0202742 / B716007 / B716009 / B716011	2	Shock	Verify w/Shock Catalog, A89408, For 357; 375, 376, 377, 378, 379, 385 w/o SBA, EB2/EB2
41	<a href="#">A85036</a>	0202740	2	Shock	Verify w/Shock Catalog, A89405, For 362 SBA, ES36/ES36
41	<a href="#">A85013</a>	665632 / 0202739	2	Shock	Verify w/Shock Catalog, A89414, For 357 SBA, ES36/ES36
41	<a href="#">A85012</a>	665932 / 0202738 / 0202741 / B716016 / B716016A	2	Shock	Verify w/Shock Catalog, A89413, For 357, 362 SFA; 372, 375, 377, 378, 379, 385, 387, SBA, EB2/EB2
41	<a href="#">A85084</a>	B716005	2	Shock	Verify w/Shock Catalog
41	<a href="#">A85959</a>	B716000	2	Shock	Verify w/Shock Catalog, 579, 587 Series
41	<a href="#">A85989</a>	665632 / 0202739	2	Shock	Verify w/Shock Catalog, 567 Series
42	<a href="#">MKS5905</a>			Conversion Kit	Converts Springs w/MR836's B.E.'s to Threaded Bushings, w/6-M5449 & 6-MTB178
42	<a href="#">MKS5907</a>			Conversion Kit	Converts Springs w/MR836 & MR902 to Threaded Bushings, w/2-M5449, 4-M5447 & 6-MTB178
42	<a href="#">MKS5909</a>			Conversion Kit	Converts Springs w/MR862 & MR894 to Threaded Bushings w/2-M5449, 4-M5447 & 6-MTB186
42	<a href="#">MKS5911</a>			Conversion Kit	Converts Springs w/MR862s B.E.s to Threaded Bushings w/6-M5449 and 6-MTB186
42	<a href="#">MKS5913</a>			Conversion Kit	Converts Springs w/MR744s B.E.s to Threaded Bushings, w/6-M5448 & 6-MTB178
SC	<a href="#">59-504</a>				w/M836's Mod. 386 '05 & Up
SC	59-514				w/M836's Mod. 386 '05 & Up
SC	59-506				w/M836's Mod. 386 '05 & Up
SC	59-628				w/M836's Mod. 386 '05 & Up
SC	<a href="#">59-508</a>				w/MTB186's
SC	59-512				w/MTB186's
.JC	59-494				w/MTB186's



SC	<a href="#">59-602</a>				w/MTB186's
SC	<a href="#">75-258</a>				w/MTB186's
SC	<a href="#">75-178</a>				w/OGB-RNK's, Cast Eye Mod. 357 & 379 SBA '87-'06
SC	<a href="#">75-180</a>				w/OGB-RNK's, Cast Eye Mod. 357 & 379 SBA '87-'06
SC	<a href="#">75-216</a>				w/OGB-RNK's, Cast Eye Mod. 357 & 379 SBA '87-'06
SC	<a href="#">75-228</a>				w/OGB-RNK's, 1-1/2" Open Eye Mod. 387 '99-'06
SC	<a href="#">75-230</a>				w/OGB-RNK's, 1-1/2" Open Eye Mod. 387 '99-'06
SC	<a href="#">75-136</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-160</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-170</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-196</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-198</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-202</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-212</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-226</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-220</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-138</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-162</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-174</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-176</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-218</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-158</a>				w/OGB-RNK's, Spring Mod. 375 & 376 '87-'00 Spring Mod. 362 C.O.E. SBA, 8706, 357 SFA, 377 SFA, 377 AE SFA, 387 SFA & 389 SFA, 52" '81-'04
SC	<a href="#">75-186</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06
SC	<a href="#">75-208</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06
SC	<a href="#">75-214</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06
SC	<a href="#">75-224</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06
SC	<a href="#">75-232</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06
SC	<a href="#">75-240</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06
SC	<a href="#">75-246</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06



Automann / Interchange Part # or Keyword

Call: 1-888-288-6626

Text: 856-263-4600

Home Category Brand Make/Model New Arrivals Wizards Schematics Quick Links Help

SC	<a href="#">75-210</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06
SC	<a href="#">75-156</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06
SC	<a href="#">75-204</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06
SC	<a href="#">75-236</a>				w/OGB-RNK's, Spring Back Mod. 377 SBA, 377 AESBA, 378 SBA, 357 SBA, 379 SBA, 385, 362E SBA & 372 SBA, 64" '87-'06

© 2023 Automann USA, Inc. All rights reserved. All content is property of Automann, and may not be reproduced or redistributed in any form.



888-AUTOMANN (+1-888-288-6626)

Any reference to OEM names or OEM product identification numbers/descriptions/model numbers is for identification only and does not indicate that it is an OEM part. When ordering, customers have the option to order using industry references, OEM references or Automann references.