


Suspension Schematic: Kenworth Rear AG200/230/400/460 Airglide® (Updated)

Schematic Parts List





Home	Category ▾	Brand ▾	Make/Model ▾	New Arrivals ▾	Wizards ▾	Schematics ▾	Quick Links ▾	Help ▾
Key	Part No.	OEM Ref.	Req.	Description	Notes			
1	Ref.	Various	2	T/Rod Bracket	F & R, Verify			
2a	TMR65	K195472 / K195474 / 107183	4	Aluminum T/Rod	20.0" CtoC, No Bushings, 52.0" Verify (NOTE: Aluminum, Do not use with Poly Bushings)			
2a	TMR65B		4	Aluminum T/Rod	20.0" CtoC, w/TRB6825 Bushings (NOTE: Aluminum, Do not use with Poly Bushings)			
2a	TMR74	C651008 / C651009	4	Aluminum T/Rod	AG230, 20-1/4" CtoC, No Bushings, 54.0" Verify (NOTE: Aluminum, Do not use with Poly Bushings)			
2a	TMR74B		4	Aluminum T/Rod	AG230, 20-1/4" CtoC, w/TRB6825 Bushings (NOTE: Aluminum, Do not use with Poly Bushings)			
2b	TMR65E		4	Solid Steel T/Rod	Poly, Rotational			
2b	TMR74BE		4	Solid Steel T/Rod	Poly, Rotational			
3a	TRB6823	834240	0	Rubber Bushing	2-3/4" OD, 3-15/16" CtoC, High Confine, 40K, Verify			
3a	TRB6825	836940 / 839310	0	Rubber Bushing	2-3/4" OD, 4-3/8" CtoC, High Confine, 46K, All AG400 & AG460 Sway Bars			
3b	TRB6823E		0	Poly Bushing	Poly, Rotational (NOTE: Not to be used on Aluminum Torque Rods. Use only on Solid Steel Rods)			
3b	TRB6825E		0	Poly Bushing	Poly, Rotational (NOTE: Not to be used on Aluminum Torque Rods. Use only on Solid Steel Rods)			
4	171.H00450CA	H00450CA	0	Height Control Valve	Universal			
4	171.H00450CAOE	H00450CA	0	Height Control Valve	Universal			
5	MSRK582	HPB4503	0	Linkage Kit	3-5/8" to 19-5/8", Universal			
6	Ref.	K04171280P / D84004418	0	Bolt	16mm-2.0 x 80mm, Verify			
6	Ref.	K041712100P / D84004388	0	Bolt	16mm-2.0 x 100mm, Verify			
7	AB1DK20G-9617	K30318 / 9617	8	Air Spring	Verify w/Air Spring Catalog. w/ 3/4"-16 Air Stud and No Int. Bumper, Can Use 9622 w/AB9622P, 40K '96-'97, Use w/AB9618P			
7	566.CT69656	K30318 / 9617	8	Air Spring	Verify w/Air Spring Catalog. w/ 3/4"-16 Air Stud and No Int. Bumper, Can Use 9622 w/AB9622P, 40K '96-'97, Use w/AB9618P			
7	566.ER9617	K30318 / 9617	8	Air Spring	Verify w/Air Spring Catalog. w/ 3/4"-16 Air Stud and No Int. Bumper, Can Use 9622 w/AB9622P, 40K '96-'97, Use w/AB9618P			
7	AB1DK20H-9618	K30319 / 9618	8	Air Spring	Verify w/Air Spring Catalog, w/ 3/4"-16 Air Stud w/Int. Bumper, 46K '96-'97, Can Use 9625 w/AB9622P, Use w/AB9618P			
7	566.CT69657	K30319 / 9618	8	Air Spring	Verify w/Air Spring Catalog, w/ 3/4"-16 Air Stud w/Int. Bumper, 46K '96-'97, Can Use 9625 w/AB9622P, Use w/AB9618P			
7	AB1DK20H-9675	K30328 / 9675	8	Air Spring	Verify w/Air Spring Catalog, AG200 Before 5/5/03, No Bumper w/ 1-5/16"-12 Ext., Can use 9622 w/AB9622P, Use w/AB9622P			
7	566.CT68361	K30328 / 9675	8	Air Spring	Verify w/Air Spring Catalog, AG200 Before 5/5/03, No Bumper w/ 1-5/16"-12 Ext., Can use 9622 w/AB9622P, Use w/AB9622P			
7	566.ER9675	K30328 / 9675	8	Air Spring	Verify w/Air Spring Catalog, AG200 Before 5/5/03, No Bumper w/ 1-5/16"-12 Ext., Can use 9622 w/AB9622P, Use w/AB9622P			
7	AB1DK20G-9622	K30322 / 9622	8	Air Spring	Verify w/Air Spring Catalog, w/ 1-5/16"-12 Ext. Threaded Air Stud and No Int. Bumper, 40K '98-5/05/03, Use w/AB9622P. Use w/177.3013 & 177.3014			
7	566.CT68359	K30322 / 9622	8	Air Spring	Verify w/Air Spring Catalog, w/ 1-5/16"-12 Ext. Threaded Air Stud and No Int. Bumper, 40K '98-5/05/03, Use w/AB9622P. Use w/177.3013 & 177.3014			
	566.ER9622	K30322 / 9622	8	Air Spring	Verify w/Air Spring Catalog, w/ 1-5/16"-12 Ext. Threaded Air Stud and No Int. Bumper, 40K '98-5/05/03, Use w/AB9622P. Use			



7	566.CT68360	K30325 / 9625	8	Air Spring	Verify w/Air Spring Catalog, w/ 1-5/16"-12 Ext. Threaded Air Stud w/Int. Bumper, 46K '98 & up, Use w/AB9622P
7	566.ER9625	K30325 / 9625	8	Air Spring	Verify w/Air Spring Catalog, w/ 1-5/16"-12 Ext. Threaded Air Stud w/Int. Bumper, 46K '98 & up, Use w/AB9622P
7	AB1DK20G-9547	C811004	8	Air Spring	Verify w/Air Spring Catalog, w/ 1-5/16"-12 Int. Threaded Air Stud and No Int. Bumper, AG200/400, 5/05/03 & up, Use w/AB9622P. Use w/177.3011
7	566.CT68358	C811004	8	Air Spring	Verify w/Air Spring Catalog, w/ 1-5/16"-12 Int. Threaded Air Stud and No Int. Bumper, AG200/400, 5/05/03 & up, Use w/AB9622P. Use w/177.3011
7	AB1DK20H-9541	C811005	8	Air Spring	Verify w/Air Spring Catalog, w/ 1-5/16"-12 Int. Threaded Air Stud and No Int. Bumper, AG460/690, 5/05/03 & up, Use w/AB9622P. Use w/177.3011
7	566.CT68357	C811005	8	Air Spring	Verify w/Air Spring Catalog, w/ 1-5/16"-12 Int. Threaded Air Stud and No Int. Bumper, AG460/690, 5/05/03 & up, Use w/AB9622P. Use w/177.3011
7	Ref.	9686	8	Air Spring	Verify w/Air Spring Catalog, For S/Axle AG230, 10-1/2" Rd. Hgt.
8	MK16918	K272187 / 103663	2	Bracket	Center, Aluminum
8	MK16919	K272188	2	Bracket	For AG460 Steel Cast
9	MK16920	K071429 / 104053	4	Frame Bracket Cap	Use w/MK16918 Aluminum Hanger & MK16919
10	Ref.	Various	4	Air Spring Beam	Verify
11	MK16977	K2081522	1	Axle Bracket	LH Forward Axle
11	MK16978	K2081522R	1	Axle Bracket	RH Forward Axle
11	Ref.	Various	1	Axle Seat	F & R, Verify
12	M5233	K041712300P / D84008045	4	Bolt	16mm-2.0 x 300mm, Verify
12	M5231	K041712290P / D84004408	4	Bolt	16mm-2.0 x 290mm, Verify
13	MK16943	C651002 / K2022548 / K2022551 / K2022560 / K2022598 / K2022625 / K2022595	2	Sway Bar	54mm, AG200
13	MK16945	C651003 / C651007 / K2022570 / K2022596 / K2022626 / K2022594	2	Sway Bar	58mm, AG200
14a	Ref.	K029318	4	Wishbone Arm Assembly	w/Bush & Stud, Prior 08/97, w/o Bush = K029616, AG200
14a	Ref.	K029324	4	Wishbone Arm Assembly	w/Bush & Stud, From 08/97, Arm Only = K029325, AG200
14b	TRB6825	836940 / 839310	0	Rubber Bushing	2-3/4" OD, 4-3/8" CtoC, High Confine, 46K, All AG400 & AG460 Sway Bars
14b	TRB6825E		0	Poly Bushing	Poly, Rotational
15	Ref.	K233542	8	Wishbone Arm Stud	20mm-2.50 x 155mm, Prior 08/97, Use K233552, AG200
15	Ref.	K233552	8	Wishbone Arm Stud	20mm-2.50 x 117mm, From 08/97, AG200
16	Ref.	K2214842 / D8400-4814	0	Spacer	Rectangler, 9.5mm x 38.1mm x 56mm Steel, AG200
17	Ref.	K221952xx	0	Alignment Spacer	Rd., Can Use MKW54, MKW56, MKW66, MKW68, MKW70, MKW72, MKW74, AG200
18	M5223	K041712120P / D84004716	8	Bolt	16mm-2.0 x 120mm, AG200, Verify
.8	Ref.	K041712130P / D84004718	8	Bolt	16mm x 130mm, AG200, M5223K Bolt Kit, Verify



Home	Category ▾	Brand ▾	Make/Model ▾	New Arrivals ▾	Wizards ▾	Schematics ▾	Quick Links ▾	Help ▾
20	Ref.	K1981243		4	Grease Seal Retainer	Inner, Older Style, AG200		
21	Ref.	K1981242		4	Grease Seal Retainer	Outer, Older Style, AG200		
22	MK16932	K179531		2	Threaded Pin	Pin Only, AG200		
23	MK16931	K3455032 / K3455156		1	Threaded Pin Kit	w/Pin & Seals, AG200		
24	177.9036	3331661		2	Plug	Can Use G1803 / D29536079 Grease Fitting, AG200		
25	Ref.	25C212		4	Collar	Before 04/97		
25	MK16939	K220598		4	Collar Assembly	OEM Bar 54mm, 40K		
25	MK16941	K066599		4	Collar Assembly	58mm, 46K		
26	KB451	K0665021 / K066454		4	Thrust Bearing	OEM Bar 54mm		
26	KB452	K0665022 / K066461		4	Thrust Bearing	58mm		
27	KB450	K066450		4	T/Bar Bushing	OEM Bar 54 mm, 40K Standard		
27	KB450UB			4	T/Bar Bushing	OEM Bar 54 mm Poly		
27	KB478	K066478		0	T/Bar Bushing	OEM Bar 54mm, 40K, Over Size OD		
27	KB460	K066460		4	T/Bar Bushing	58 mm Standard, 46K		
27	KB460UB			4	T/Bar Bushing	58 mm Poly		
27	KB477	K066477		0	T/Bar Bushing	58 mm Over Size OD		
27	KB461	C131004		4	T/Bar Bushing	OEM Bar 54mm, AG400		
27	KB462	C131005		4	T/Bar Bushing	58mm, AG400, AG460		
28	M5227	K04172490P / D84004448		4	Bolt	20mm-2.5 x 90mm, For Center Hanger, Bolt Kit M5227K		
29	M5229	K041724130P / D84004430		4	Bolt	20mm-2.5 x 130mm, For Center Hanger, Bolt Kit M5229K		
30	A85900	70701 / 665944 / 665903		4	Shock	Double Studded, 40K, AG200, S21/S21		
30	A85902	665945 / 665906		4	Shock	Double Studded, 46K, AG200, S21/S21		
31	MH1433	K066266 / C0M266		0	Bushing	5/8" ID, For Stud Type Ends		
31	MH1433UB	CA3866		0	Bushing	Poly		
32	A85936	671962		4	Shock	Eye & Stud, AG400, '05 & Up, A89456, ES174/S43		
32	A85937	671963		4	Shock	Eye & Stud, AG460, '05 & Up, ES174/S43		
33	Ref.	K066310 / C0M310		0	Bushing	5/8" ID, For Stud Type Ends, Similar To MH1433		
34a	MK16950	C651000 / C651013		2	Sway Bar	Uses TRB6825, OEM Bar = 54mm Automann's is 58mm & Uses KB462's, AG400, 19-1/2" Arm, 52.0" Axle Space, Retrofit AG200		
34a	MK16950E			2	Sway Bar	Rotational Poly w/TRB6825E		
34a	MK16952	C651001		2	Sway Bar	Uses TRB6825, 58mm, AG400, 20-1/2" Arm, 54.0" Axle Space, Retrofit AG200		
34a	MK16952E			2	Sway Bar	Rotational Poly w/TRB6825E		
34a	MK16953	C651012		1	Sway Bar	Uses TRB6825, 58mm, AG230, 20-1/2" Arm		
34a	MK16953E			1	Sway Bar	Rotational Poly w/TRB6825E		
34a	Ref.	C651006		4	Sway Bar	AG460, High Articulation Use MK16952		
34b*	MK16950K			2	Sway Bar Kit	Includes 1-MK16950, 2-KB460		
34b*	MK16950KE			2	Sway Bar Kit	Includes 1-MK16950, 2-KB460UB		
34b*	MK16952K			2	Sway Bar Kit	Includes 1-MK16952, 2-KB460		
34b*	MK16952KE			2	Sway Bar Kit	Includes 1-MK16952, 2-KB460UB		



35	MK16946		2	Hanger Mount Kit	Use w/MK16918 Aluminum Hanger, Includes 2-M5231, 4-M5229, 4-M5227, 16-MUBW184, 8-LNC20MM, 4-MUBW174, 2-LNC16MM
36	MK16955		1	Conversion Kit	52.0" Axle, Does Complete Suspension, AG400 40K
36	MK16956		1	Conversion Kit	54.0" Axle, Does Complete Suspension, AG400 46K
37	MK16957		1	Conversion Kit	Upgrade From 40K to 46K, 54.0" Axle, Does Complete Suspension
38	MK16951	C131006	2	T/Bar Replacement Kit	AG400 Only, OEM 40K 54mm Bar, 4-KB461 4-M5233 & Hrdw.
38	MK16954	C131007	2	T/Bar Replacement Kit	AG400 Only, 58mm Bar, 4-KB462 4-M5233 & Hrdw., Use w/MK16950 & MK16952, 46K
39	A405360	K198810 / D84001021	16	Cupped Washer	21/32" ID x 2-3/16" OD x 1/8"Tk.
40	AB9622P	6409 / WC13583884 / 6053 / WC13583890	4	Bracket	For Air Springs 9622
40	AB9618P	3892 / WC13583892 / 6053 / WC13583890	4	Bracket	For Air Springs 9617 & 9618
41	177.3008	D20422492 / K129500R / D20422496	0	Air Fitting	RH, Use w/ 9622, 9625 & 9675
41	177.3010	G381012 / D20422556	0	Air Fitting	LH, AG400, Use w/ 9541 & 9547
41	177.3009	D20422491 / K129500 / D20422490	0	Air Fitting	LH, Use w/ 9622, 9625 & 9675
41	177.3011	G381012R / D20422559	0	Air Fitting	RH, AG400, Use w/ 9541 & 9547
41	177.3013	K129502 / D20422497	0	Air Fitting	LH
41	177.3014	K129502R / D20422498	0	Air Fitting	RH, AG400, Use w/ 9541 & 9547
41	177.3015	FG2493 / D20422493	0	Air Fitting	Use w/9622
42	MK16961	K1402468U	2	Gusset Support	Upper, AG200
43	MK16904	K1402468 / 04088CA	2	Gusset Support	Lower, AG200
43	MK16905	K1402465	2	Gusset Support	Lower, AG200
44	MK16940		0	Thrust Bearing Kit	1-KB450UB, 2-KB451